

AF 20

Fast air purification in rooms of 20 m²* – 40 m²: the compact AF 20 air purifier with H13 filtration and activated carbon reliably removes pathogens, fine dust, allergens and odours.



Order no. 1.024-820.0

- H13 filtration with coated activated carbon
- High air flow rate
- Sensor technology

Technical data

EAN code		4054278899947
Supply voltage	Ph / V / Hz	1 / 100 - 240 / 50 - 60
Connected load	W	24
Suitable room size	m²	20
Air throughput	m³/h	up to 220
Filter efficiency according to particle size		0.3 µm >= 99.95 %
Power settings		3
Weight without accessories	kg	3
Weight incl. packaging	kg	4
Dimensions (L × W × H)	mm	220 × 220 × 346

Equipment

Dual filter system	■
Filter change indicator	■
Air quality display	■
Operation of the device with touch function	■
Automatic mode	■
Night mode	■
Locking function	■
Timer program	■

■ included in the scope of supply.

* Recommended room size based on a ceiling height of 3 m and air exchange three times an hour for operation at the highest performance level.



High Protect 13 Filter

- New H13 filter to remove pathogens and aerosols.
- For bonding odours and chemical vapours.



Dual air inlet system

- Thanks to the air intake on both sides, a high air flow rate is guaranteed.



Display

- Indication of the air quality in $\mu\text{g}/\text{m}^3$ as well as the filter and device status.

ACCESSORIES FOR AF 20 1.024-820.0



		Order no.	Description	
AIR TREATMENT				
Filter set AF 20	1	2.863-056.0	Strong performance, huge efficiency: The replacement filter kit for the AF 20 air purifier comprises H13 filter material and has an antibacterial-coated active carbon element.	■

■ Included in the scope of supply. □ Available accessories. ○ Detergents.